



# FQLabs

3170-A Ualena St.  
 Honolulu, HI 96819  
 Tel: 808-839-9444 Fax: 808-839-9744

### CHAIN OF CUSTODY AND ANALYSIS REQUEST

DATE: \_\_\_\_\_ PAGE \_\_\_\_\_ OF \_\_\_\_\_  
 CUSTOMER NO. \_\_\_\_\_ LAB NO. \_\_\_\_\_

CLIENT NAME: \_\_\_\_\_ EMAIL: \_\_\_\_\_

### ANALYSES REQUESTED

ADDRESS: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_ PROJECT NO: \_\_\_\_\_ P.O. NO: \_\_\_\_\_

PROJECT MANAGER: \_\_\_\_\_ PHONE NO: \_\_\_\_\_ FAX NO: \_\_\_\_\_

SAMPLER NAME: (Printed) \_\_\_\_\_ (Signature) \_\_\_\_\_

TAT (Analytical Turn Around Time) 0 = Same day; 1 = 24 Hour; 2 = 48 Hour; (Etc.) N= Normal

CONTAINER TYPES: B = Brass, G = Glass, P = Plastic, V = VOA Vial, O = Other:

AIRBILL NO:

COOLER NO:

TEMPERATURE:

REMARKS:

SAMPLE CONDITION/  
COMMENTS:

LAB USE ONLY SAMPLE NO.	DATE SAMPLED	TIME SAMPLED	SAMPLE DESCRIPTION	MATRIX		CONTAINER		
				WATER	OTHER	#	TYPE	GRAB/ COMP

Relinquished By: (Signature and Printed Name) \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Received By: (Signature and Printed Name) \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

### SAMPLE DISPOSITION:

1. Samples returned to client? YES NO

2. Samples will not be stored over 30 days, unless additional storage time is requested.

3. Storage time requested: \_\_\_\_\_ days

Relinquished By: (Signature and Printed Name) \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Received By: (Signature and Printed Name) \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Is this a compliance drinking water sample? Yes No

Sign and Print \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

By \_\_\_\_\_ Date \_\_\_\_\_

**SPECIAL INSTRUCTIONS:** \_\_\_\_\_